



AM21 AUDIO BABY MONITOR











Out-of-range alert



Secure & private connection

- Wireless DECT connectivity
- Up to 300 meters range¹
- High sensitivity microphone
- Volume control
- Parent unit powered by AC adapter or batteries
- Out-of-range and low battery alerts
- Secure and private connection



AUDIO BABY MONITOR



 $((\bullet))$ Up to 300m of range

High sensitivity microphon



connection

- Wireless DECT connectivity
- Up to 300 meters range¹
- High sensitivity microphone
- Volume control
- Parent unit powered by AC adapter or batteries
- Out-of-range alert
- Secure and private connection



AM24

AUDIO BABY MONITOR













- Backlit 1.5" display
- Wireless DECT connectivity
- Two-way communication
- Up to 300 meters range¹
- Room temperature monitoring
- High sensitivity microphone
- Volume control
- Rechargeable parent unit
- Out-of-range and low battery alerts
- Secure and private connection



AUDIO BABY MONITOR







Portable monitors



Night light



Two-way talk



Up to 8 hours us

- Bright backlit 1.5" display
- Wideband audio HD Sound
- Room temperature monitoring
- Up to 450m range¹
- High sensitivity microphone
- Volume control
- Night light local and remote control
- Lullabies
- Sound detection alert
- USB-C charging
- Rechargable baby and parent unit
- Secure and private connection







PIP15-2



VM483

2.8" VIDEO BABY MONITOR





Digital zoom



Infrared night vision



Two-way talk



Room temperature monitoring

- 2.8" color screen
- Two-way communication
- Room temperature monitoring
- Up to 300 meters range¹
- High sensitivity microphone
- Infrared night vision
- LED sound level indicator
- 2.4GHz FHSS wireless technology
- Rechargeable parent unit
- Digital zoom
- Secure and private connection



2.8" VIDEO BABY MONITOR





Digital pan, tilt & zoom



Up to 300m of range



Lullabies



Room temperature monitoring

- 2.8" color screen
- Digital panoramic, tilt, and zoom
- Up to 300 meters range¹
- · High sensitivity microphone
- Infrared night vision
- Lullabies
- · Rechargeable parent unit
- Wall mount included
- LED sound level indicator
- 2.4GHz FHSS wireless technology
- Secure and private connection



VM75

5.0" VIDEO BABY MONITOR







Remote pan scan, digital



Infrared night vision



Lullabies



Room temperature monitoring

- 5" color screen
- Remote pan scan, digital tilt, and zoom
- Two-way communication
- Up to 300 meters range¹
- Infrared night vision
- High sensitivity microphone
- LED sound level indicator
- Lullabies
- 2.4GHz FHSS wireless technology for in-home viewing
- Rechargeable parent unit
- Secure and private connection



VM50G

5.0" VIDEO BABY MONITOR







Digital zoom



Infrared night vision



Two-way talk



Room temperature monitoring

- 5.0" color screen
- Remote pan, tilt and zoom
- Room temperature monitoring
- Up to 300m range¹
- High sensitivity microphone
- LED sound level indicator
- Lullabies
- 2.4GHz FHSS wireless technology for in-home viewing
- Digital zoom
- Rechargeable parent unit
- Secure and private connection



5.0" VIDEO BABY MONITOR







Remote pan, tilt, and zoom



Up to 300m of range



Lullabies



Secure and private connection

Features

- 5.0" color screen
- Remote pan, tilt and zoom
- Two-way communication
- Room temperature monitoring
- High sensitivity microphone
- Infrared night vision
- Wall mount included
- Split-screen view (multi-camera option sold separately)
- LED sound level indicator
- 2.4GHz FHSS wireless technology
- Rechargeable parent unit

*Additional camera for PIP1510



PIP1510C*



Monitor what matters

Wherever you are, stay connected. Designed with the very best technology to help you keep an eye on your little one.



MOTOROLA NURSERY APP



- The Motorola Nursery² app covers all your baby monitoring needs from the convenience of your phone
- HD 720p or 1080p video streaming compatible with tablets and smartphones³
- Lullabies, pre-recorded sounds, and recordings²
- Screenshots and video recording storage²
- Movement and sound event storage in cloud⁴









VM85 CONNECT

5.0" WIFI BABY MONITOR







Free-of-charge 24-hour event monitoring and streaming⁴



Multi-color mood light



Two-way talk



Room temperature monitoring

- 5.0" color screen
- Up to 300 meters range¹
- Infrared night vision
- Remote pan, zoom, and tilt
- High sensitivity microphone
- Lullabies
- Wi-Fi® connectivity
- 2.4GHz FHSS wireless technology
- LED sound level indicator
- Rechargeable parent unit



PIP1500 CONNECT

5.0" WIFI BABY MONITOR





Digital zoom



Up to 300m of range



Lullabies



Room temperature monitoring

Features

- 5" color screen
- Up to 300 meters range¹
- Wi-Fi connectivity
- · High sensitivity microphone
- LED sound level indicator
- Lullabies
- Wall mount included
- 2.4GHz FHSS wireless technology
- Rechargeable parent unit
- Split-screen view (multi-camera option sold separately)
- Secure and private connection

*Additional camera for PIP1500 CONNECT



PIP1500C*

WIFI BABY CAMERA







Free-of-charge 24-hour event monitoring and



Infrared night vision




Two-way talk



Secure and private connection

- Wi-Fi® connectivity for in-home and on-the-go viewing
- · Room temperature monitoring
- Adjustable C° and F° temperature reading
- Infrared night vision
- High sensitivity microphone
- Wall mount included
- Secure and private connection



SHOPPING GUIDE - Audio

	AM21	PIP10	AM24	PIP15
Two-way talk			\checkmark	\bigcirc
Parent unit with battery	AAA for backup	AAA for backup	\checkmark	\checkmark
Lullabies				\checkmark
Night light				Ø
Screen size			1.5"	1.5"
Baby unit with battery				\checkmark
High sensitive microphone	\bigcirc	■ Ø	Ø	Ø
Temperature sensor			Ø	Ø
Secure and private connection	\bigcirc	 ✓	Ø	Ø

⁽¹⁾ When there is a clear line of sight between the parent unit and the baby unit. Any obstruction between the parent and baby units could significantly reducethe range. With both parent and baby units indoors, the typical range is between 38 - 50 meters

⁽²⁾ Requires the installation of the Motorola Nursery application. Download or update the Motorola Nursery app from your mobile device's app store.

⁽³⁾ Requires wireless internet connection and a compatible display device capable of displaying 720p.

⁽⁴⁾ Motorola Nursery will store the 10 most recent events (including a 30-second video clip) in any 24-hour period (free of charge for first 90 days)

SHOPPING GUIDE - Video

	VM483	PIP1200	VM75	VM50G	PIP1510
Two-way talk	\bigcirc	\checkmark	\checkmark	\checkmark	\checkmark
Digital zoom	\bigcirc	\checkmark	\checkmark	\checkmark	\checkmark
Lullabies	⋖	\checkmark	\bigcirc	\checkmark	 ✓
Rechargeable parent unit	\bigcirc	\checkmark	\checkmark	\bigcirc	 ✓
Screen size	2.8"	2.8"	5.0"	5.0"	5.0"
Remote pan and tilt			Only Pan	\checkmark	\checkmark
Night vision	\bigcirc	\checkmark	\checkmark	\checkmark	\checkmark
Temperature sensor	\bigcirc	\checkmark	\checkmark	\checkmark	\checkmark
Wi-Fi connectivity / Motorola Nursery APP					

SHOPPING GUIDE - Connected

	VM85	PIP1500	PIP1000	
Two-way talk	\bigcirc	\bigcirc	\bigcirc	
Digital zoom	⊘	⊘	Q	
Lullabies	\bigcirc	\bigcirc		
Night light	Multi-color mood light			
Screen size	5.0"	5.0"		
Remote pan and tilt	Only Pan			
Night vision	\bigcirc	Q	Q	
Temperature sensor	Q	Q	Q	
Wi-Fi connectivity / Motorola Nursery APP	■ Ø	■ Ø	Q	

TE-93 THERMOMETER





Indicador de fiebre

- Non-contact infrared technology for safe, non-intrusive measurements
- Temperature taken in 2 seconds with beep at the end
- Measurement distance of 3 to 5 cm
- Large backlit LCD screen
- High temperature alert when temperatures exceed 37.5°C (99.5°F)
- Measurement in Celsius and Fahrenheit
- Stores up to the last 32 measurements
- Automatic shut-off





